

		Cable Length (mm)		
Model	Size	Lower	Middle	Top
Revolve TW	24.5	350	255	255
Revolve TW	25.5	350	255	255
Revolve TW	26.5	375	255	265
Revolve TW	27.5	385	265	265
Revolve TW	28.5	375	265	265
Revolve TW	29.5	375	265	265
Revolve TW	30.5	385	265	265
Revolve Team	24.5	350	255	255
Revolve Team	25.5	350	255	255
Revolve Team	26.5	375	255	265
Revolve Team	27.5	385	265	265
Revolve Team	28.5	375	265	265
Revolve Team	29.5	375	265	265
Revolve Team	30.5	385	265	265
Revolve Pro	22.5	365	245	255
Revolve Pro	23.5	350	255	255
Revolve Pro	24.5	350	255	255
Revolve Pro	25.5	350	255	255
Revolve Pro	26.5	375	255	265
Revolve Pro	27.5	385	265	265
Revolve Pro	28.5	375	265	265
Revolve Pro	29.5	375	265	265
Revolve Pro	30.5	385	265	265
Revolve Pro	31.5	385	265	265
Revolve	22.5	365	245	255
Revolve	23.5	350	255	255
Revolve	24.5	350	255	255
Revolve	25.5	350	255	255
Revolve	26.5	375	255	265
Revolve	27.5	385	265	265
Revolve	28.5	375	265	265
Revolve	29.5	375	265	265
Revolve	30.5	385	265	265
Revolve	31.5	385	265	265
Method B&E	23.5	N/A	120	140
Method B&E	24.5	N/A	130	150
Method B&E	25.5	N/A	130	150
Method B&E	26.5	N/A	130	150
Method B&E	27.5	N/A	140	160
Method B&E	28.5	N/A	150	170
Method B&E	29.5	N/A	150	170
Method B&E	30.5	N/A	150	170

		Cable Length (mm)		
Model	Size	Lower	Middle	Top
Method Pro	23.5	N/A	120	140
Method Pro	24.5	N/A	130	150
Method Pro	25.5	N/A	130	150
Method Pro	26.5	N/A	130	150
Method Pro	27.5	N/A	140	160
Method Pro	28.5	N/A	150	170
Method Pro	29.5	N/A	150	170
Method Pro	30.5	N/A	150	170
Method	23.5	N/A	120	140
Method	24.5	N/A	130	150
Method	25.5	N/A	130	150
Method	26.5	N/A	130	150
Method	27.5	N/A	140	160
Method	28.5	N/A	150	170
Method	29.5	N/A	150	170
Method	30.5	N/A	150	170
Diverge LT	24.5	N/A	170	140
Diverge LT	25.5	N/A	170	140
Diverge LT	26.5	N/A	170	140
Diverge LT	27.5	N/A	180	150
Diverge LT	28.5	N/A	190	160
Diverge LT	29.5	N/A	190	160
Diverge LT	30.5	N/A	190	160
Diverge SC	24.5	N/A	170	140
Diverge SC	25.5	N/A	170	140
Diverge SC	26.5	N/A	170	140
Diverge SC	27.5	N/A	180	150
Diverge SC	28.5	N/A	190	160
Diverge SC	29.5	N/A	190	160
Diverge SC	30.5	N/A	190	160
Diverge	24.5	N/A	170	140
Diverge	25.5	N/A	170	140
Diverge	26.5	N/A	170	140
Diverge	27.5	N/A	180	150
Diverge	28.5	N/A	190	160
Diverge	29.5	N/A	190	160
Diverge	30.5	N/A	190	160
Revolve TBL	23.5	350	245	255
Revolve TBL	24.5	350	245	255
Revolve TBL	25.5	350	245	255
Revolve TBL	26.5	375	245	265
Revolve TBL	27.5	385	255	265

		Cable Length (mm)		
Model	Size	Lower	Middle	Top
Revolve Team W	23.5	350	255	265
Revolve Team W	24.5	350	255	265
Revolve Team W	25.5	350	255	265
Revolve Team W	26.5	375	255	275
Revolve Team W	27.5	385	265	275
Revolve Pro W	22.5	365	245	255
Revolve Pro W	23.5	350	255	255
Revolve Pro W	24.5	350	255	255
Revolve Pro W	25.5	350	255	255
Revolve Pro W	26.5	375	255	265
Revolve Pro W	27.5	385	265	265
Revolve W	22.5	365	245	255
Revolve W	23.5	350	255	265
Revolve W	24.5	350	255	265
Revolve W	25.5	350	255	265
Revolve W	26.5	375	255	275
Revolve W	27.5	385	265	275
Method Pro W	23.5	N/A	120	170
Method Pro W	24.5	N/A	130	180
Method Pro W	25.5	N/A	130	180
Method Pro W	26.5	N/A	130	180
Method Pro W	27.5	N/A	140	190
Method W	23.5	N/A	120	170
Method W	24.5	N/A	130	180
Method W	25.5	N/A	130	180
Method W	26.5	N/A	130	180
Method W	27.5	N/A	140	190
Diverge LT W	23.5	N/A	170	140
Diverge LT W	24.5	N/A	170	140
Diverge LT W	25.5	N/A	170	140
Diverge LT W	26.5	N/A	170	140
Diverge LT W	27.5	N/A	180	150
Diverge W	23.5	N/A	170	140
Diverge W	24.5	N/A	170	140
Diverge W	25.5	N/A	170	140
Diverge W	26.5	N/A	170	140
Diverge W	27.5	N/A	180	150
Diverge Pro W	23.5	N/A	170	140
Diverge Pro W	24.5	N/A	170	140
Diverge Pro W	25.5	N/A	170	140
Diverge Pro W	26.5	N/A	170	140
Diverge Pro W	27.5	N/A	180	150
Evolver	22.5	365	245	255
Evolver	23.5	350	255	255
Evolver	24.5	350	255	255
Evolver	25.5	350	255	255
Evolver	26.5	375	255	265
Evolver	27.5	385	265	265